

**BEFORE THE ARKANSAS STATE BOARD OF LICENSURE FOR
PROFESSIONAL ENGINEERS AND PROFESSIONAL SURVEYORS**

Complainant:

Arkansas State Board of Licensure for
Professional Engineers and Professional
Surveyors

Case #2004-12

Respondent:

Mr. Timothy P. Tyler, PS
Tyler Surveying & Mapping
240 Skyline Dr Ste 3000
Conway, AR 72032-2810

DISMISSAL ORDER

The Arkansas Board of Licensure for Professional Engineers and Professional Surveyors (hereinafter "the Board") registered a complaint on August 18, 2004, charging Timothy P. Tyler (PS #1243, hereinafter "Tyler") with violation of Arkansas Code Annotated §17-48-105 (misuse of seal – failure to fix an original signature).

After considering all evidence presented, the Board issues the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. Tyler is now, and was at all times relevant to the complaint, a Professional Surveyor licensee of the Board, and the Board has jurisdiction over his conduct.
2. The charges were preferred on August 18, 2004, and the matter has not to date been heard.


CONCLUSIONS OF LAW


The Board has failed to bring the matter to hearing within the "reasonable time" specified in Article 15.B of the Rules of the Board.

ORDER

Based upon these Findings and Conclusions, and upon the advice of counsel, the complaint against Tyler is dismissed.

ORDERED this 12th day of July, 2010.




Frank Vozel, Board President


CERTIFICATE OF SERVICE

I, James Atchley, Investigator of the Arkansas State Board of Licensure for Professional Engineers and Professional Surveyors, do hereby certify that I have served a copy of the attached order by mailing a copy of same by first class mail on this 12th day of July, 2010, to:

Mr. Timothy P. Tyler, PS
Tyler Surveying & Mapping
240 Skyline Dr Ste 3000
Conway, AR 72032-2810

Mr. William C. Adkisson
Graddy & Adkisson, LLP
P.O. Box 996
Conway, AR 72033


James Atchley, Board Investigator